

Tutorial category: Expert mode

First steps in the expert mode

First steps in the expert mode



Version 1.1

Date 23/07/2016

Official MadAnalysis 5 website : <https://launchpad.net/madanalysis5/>

Goals of this tutorial

- Entering the expert mode
- Handling the structure of a job folder
- Configuring your environment for the expert mode
- Compiling and running your job

Requirements


- MadAnalysis 5 is installed on your system and has been launched successfully at least one time. The collection of example samples is installed too.
- Knowledge of the MadAnalysis 5 main concepts (see tutorials for beginners).
- For using the expert mode, basic skills in C++ programming are required. Nonetheless this introduction tutorial do not deal with any C++ code.
- You have chosen which text editor is your favorite 😊

Part 1

Introduction


Reminder: the “normal” mode

First steps in the expert mode



What is the expert mode ?

- Not using the Python console
- Coding directly the analysis in C++ language
- Analyzing the results on one's own.




Motivations for the expert mode ?

The expert mode is motivated in several cases:

- Despite the potential of the Python console, the analysis planned is too sophisticated.
- The user would like to plug to MadAnalysis 5 an external package for which no interface is provided.
- The need to implement a specific output format for the analysis results (histograms, cuts, ...) or for event data.
- The case where too many datasets must be analyzed. The user could use MadAnalysis 5 through standalone jobs and could take profit from computing resources such as a cluster or the Grid.
- Recasting an existed ATLAS/CMS experimental analyses.
- Linking SampleAnalyzer library to a software for generating plots.
[AVAILABLE SOON]

Expert mode = developer-friendly

First steps in the expert mode



Entering the expert mode

To begin an analysis in the expert mode, the user must launch MadAnalysis 5 with the argument `-e` or equivalently `--expert`.

```
./bin/ma5 -e
```

MadAnalysis 5 will initialize itself normally but at the end, the `ma5>` prompt is replaced by a series of questions. Your answer will help MadAnalysis 5 to generate the proper `in` order to know what you would like.

First question:

```
Welcome to the expert mode of MadAnalysis  
Please enter a folder for creating an empty SampleAnalyzer job
```

Just specifying the name of the working directory you would like to create.

Second question:

```
Please enter a title for your analyzer :
```

At this step of the tutorial, this name is insignificant. Only for the display.

Entering the expert mode

Assuming you answer is 'MyAnalysis' to the questions 1 and 2, a working directory called `MyAnalysis` is created and contains an empty analysis called `MyAnalysis` and scripts (required in particular for compiling).

Some guidelines are given at the screen in order to survive in the expert mode. They can be considered as a reminder of the present tutorial.

```
Creating folder '/grid_mnt/home/econte/MA5/v1.4beta/MyAnalysis'...  
  Copying required 'SampleAnalyzer' source files...  
  Writing an empty analysis...  
  Writing a Makefile...
```


Another way to enter the expert mode:

It is possible also to modify a working directory (and its files) generated by the Python interface in the «normal» mode.

Part 2

Launching the template analysis

Structure of the working directory



Setting your environment

Before beginning to work, the environment variables required by MadAnalysis 5 must be set. To this end, entering the folder `Build` of `MyAnalysis`:

```
cd MyAnalysis/Build
```

and executing the script `setup.sh` if you use the shell `BASH`

```
source setup.sh
```

or the script `setup.csh` if you use the shell `TCSH`.

```
source setup.csh
```

If the script has been properly executed, the following message must appear:

```
-----  
Your environment is properly configured for MA5  
-----
```

This first step must be carried out each time you start a new shell session.

Building your job

To build the job, you must type inside the `Build` folder

```
make
```

As all C++ programs, the building of the job is made up of two parts: compilation and linking. If the building is successful, an executable file called `MadAnalysis5Job` will be created.

When the executable is built, you can save disk space by removing the intermediate files produced during the compilation (object files). This purpose can be performed by issuing

```
make clean
```

You have also the option to remove all files produced during the building phase (the executable `MadAnalysis5Job` also) and to come back to the initial configuration.

```
make mrproper
```

Launching job

The executable file `MadAnalysis5job` built in the `Build` folder is fully independent from the place where it is. It can be moved in any folder of your choice.

Before launching the job, the list of samples you would like to process must be specified. It can be done by creating a text file containing the list of the files. The syntax is simple: one line by sample. Be careful the wildcard characters `*` and `?` are not allowed.

Considering the example of a text file called `input.txt` containing the lines:

```
/opt/cms/data1/zz_sample1.lhe.gz  
/opt/cms/data1/zz_sample2.lhe.gz  
/opt/cms/data1/zz_sample3.lhe.gz
```

The job can be launched by issuing

```
./MadAnalysis5job input.txt
```

First steps in the expert mode



About this document

- The present document is a part of the tutorial collection of the package MadAnalysis 5 (MA5 in abbreviated form). It has to be conceived to explain in a practical and graphical way the functionalities and the various options available in the last public release of MA5.
- The up-to-date version of this document, also the complete collection of tutorials, can be found on the MadAnalysis 5 website :

<https://madanalysis.irmp.ucl.ac.be/wiki/tutorials>

- Your feedback interests ourselves (bug reports, questions, comments, suggestions). You can contact the MadAnalysis 5 team by the email address : ma5team@iphc.cnrs.fr

